

Navicat Commands (Available only in Full version)

Navicat Premium

Start Navicat from command line:

Navicat Objects	Server Type	Command Lines
Backup	MySQL, PostgreSQL and SQLite	<prog_name> --backup <connection-type> <connection-name> [<database> [<schema> [<profile-name>]]]
Restore Backup	MySQL, PostgreSQL and SQLite	<prog_name> --restore-backup <connection-type> <connection-name> <database> <schema> [<backup-name>]
Import	All	<prog_name> --import <connection-type> <connection-name> <database> <schema> <profile-name>
Export Table	All	<prog_name> --export <connection-type> <connection-name> <database> <schema> <profile-name>
Export View Result	All	<prog_name> --export-view <connection-type> <connection-name> <database> <schema> <profile-name>
Export Materialized View Result	Oracle	<prog_name> --export-mview oracle <connection-name> <schema> <profile-name>
Export Query Result	All	<prog_name> --export-query <connection-type> <connection-name> [<database>] [<schema>] <profile-name>
Query Execution	All	<prog_name> --query-execution <connection-type> <connection-name> <database> [<schema>] <query-name>
Data Transfer	All	<prog_name> --data-transfer <profile-type> <profile-name>
Data Synchronization	All	<prog_name> --data-synchronization <connection-type> <profile-name>
Batch Jobs	All	<prog_name> --batch-jobs <batch-jobs-name>
List Schedule	All	<prog_name> --list-schedule

Note:

<prog_name> - should be the path to the executable file inside: such as ./"Navicat Premium.app"/Contents/MacOS/"Navicat Premium"

<connection-type> - type of the connection: mysql, oracle, pgsql, sqlite or mssql

<profile-type> - type of the data transfer profile: mysql, oracle, pgsql, sqlite, mssql or premium

Navicat for MySQL

Start Navicat from command line:

Navicat Objects	Command Lines
Backup	<prog_name> --backup <connection-name> [<database> [<profile-name>]]
Restore Backup	<prog_name> --restore-backup <connection-name> <database> [<backup-name>]
Import	<prog_name> --import <connection-name> <database> <profile-name>
Export Table	<prog_name> --export <connection-name> <database> <profile-name>
Export View Result	<prog_name> --export-view <connection-name> <database> <profile-name>
Export Query Result	<prog_name> --export-query <connection-name> <database> <profile-name>
Query Execution	<prog_name> --query-execution <connection-name> <database> <query-name>
Data Transfer	<prog_name> --data-transfer <profile-name>
Data Synchronization	<prog_name> --data-synchronization <profile-name>
Batch Jobs	<prog_name> --batch-jobs <batch-jobs-name>
List Schedule	<prog_name> --list-schedule

Note:

<prog_name> - should be the path to the executable file inside: such as ./"Navicat for MySQL.app"/Contents/MacOS/"Navicat for MySQL"

Navicat for Oracle

Start Navicat from command line:

Navicat Objects	Command Lines
Import	<prog_name> --import <connection-name> <schema> <profile-name>
Export Table	<prog_name> --export <connection-name> <schema> <profile-name>
Export View Result	<prog_name> --export-view <connection-name> <schema> <profile-name>
Export Materialized View Result	<prog_name> --export-mview <connection-name> <schema> <profile-name>
Export Query Result	<prog_name> --export-query <connection-name> <schema> <profile-name>
Query Execution	<prog_name> --query-execution <connection-name> <schema> <query-name>
Data Transfer	<prog_name> --data-transfer <profile-name>
Data Synchronization	<prog_name> --data-synchronization <profile-name>
Batch Jobs	<prog_name> --batch-jobs <batch-jobs-name>
List Schedule	<prog_name> --list-schedule

Note:

<prog_name> - should be the path to the executable file inside: such as ./"Navicat for Oracle.app"/Contents/MacOS/"Navicat for Oracle"

Navicat for PostgreSQL

Start Navicat from command line:

Navicat Objects	Command Lines
Backup	<prog_name> --backup <connection-name> [<database> [<schema> [<profile-name>]]]
Restore Backup	<prog_name> --restore-backup <connection-name> <database> <schema> [<backup-name>]
Import	<prog_name> --import <connection-name> <database> <schema> <profile-name>
Export Table	<prog_name> --export <connection-name> <database> <schema> <profile-name>
Export View Result	<prog_name> --export-view <connection-name> <database> <schema> <profile-name>
Export Query Result	<prog_name> --export-query <connection-name> <database> [<schema>] <profile-name>
Query Execution	<prog_name> --query-execution <connection-name> <database> [<schema>] <query-name>
Data Transfer	<prog_name> --data-transfer <profile-name>
Data Synchronization	<prog_name> --data-synchronization <profile-name>
Batch Jobs	<prog_name> --batch-jobs <batch-jobs-name>
List Schedule	<prog_name> --list-schedule

Note:

<prog_name> - should be the path to the executable file inside: such as ./"Navicat for PostgreSQL.app"/Contents/MacOS/"Navicat for PostgreSQL"

Navicat for SQLite

Start Navicat from command line:

Navicat Objects	Command Lines
Backup	<prog_name> --backup <connection-name> [<database> [<profile-name>]]
Restore Backup	<prog_name> --restore-backup <connection-name> <database> [<backup-name>]
Import	<prog_name> --import <connection-name> <database> <profile-name>
Export Table	<prog_name> --export <connection-name> <database> <profile-name>
Export View Result	<prog_name> --export-view <connection-name> <database> <profile-name>
Export Query Result	<prog_name> --export-query <connection-name> <database> <profile-name>
Query Execution	<prog_name> --query-execution <connection-name> <database> <query-name>
Data Transfer	<prog_name> --data-transfer <profile-name>
Data Synchronization	<prog_name> --data-synchronization <profile-name>
Batch Jobs	<prog_name> --batch-jobs <batch-jobs-name>
List Schedule	<prog_name> --list-schedule

Note:

<prog_name> - should be the path to the executable file inside: such as ./"Navicat for SQLite.app"/Contents/MacOS/"Navicat for SQLite"

Navicat for SQL Server

Start Navicat from command line:

Navicat Objects	Command Lines
Import	<prog_name> --import <connection-name> <database> <schema> <profile-name>
Export Table	<prog_name> --export <connection-name> <database> <schema> <profile-name>
Export View Result	<prog_name> --export-view <connection-name> <database> <schema> <profile-name>
Export Query Result	<prog_name> --export-query <connection-name> <database> [<schema>] <profile-name>
Query Execution	<prog_name> --query-execution <connection-name> <database> [<schema>] <query-name>
Data Transfer	<prog_name> --data-transfer <profile-name>
Data Synchronization	<prog_name> --data-synchronization <profile-name>
Batch Jobs	<prog_name> --batch-jobs <batch-jobs-name>
List Schedule	<prog_name> --list-schedule

Note:

<prog_name> - should be the path to the executable file inside: such as ./"Navicat for SQL Server.app"/Contents/MacOS/"Navicat for SQL Server"